

Make the best product,

Offer the best service.



**Brochure-COB Flex**  
SIGNLITE OPTO-ELECTRONICS CO.,LTD

**Core products**  
Sign tube | Strip | Module | Neon

[www.signliteled.com](http://www.signliteled.com)

Tel:0755-29518916

E-mail:sales@signlite.com.cn

Mobile/whatsapp/wechat:+86 15814478470




Scan QR Code

MAKE YOUR ILLUMINATED SIGNS BRIGHTER AND EVENER



# COB LED Strip


## Product : FYX05T400X




## Features :

- 400chips, 105lm/W, dot-free
- Super slim, 5mm width for tight space application
- Solderless, reel to reel technology
- 180 degree beam angle
- CRI90+, for decorative lighting

### FYX05T400A



### FYX05T400C



## Parameters :

Model NO.	FYX05T400X	SDCM	≤5	Cut Section	10mm@12V,20mm@24V
Input Voltage	DC12V/24V	CRI	>90	Dimension	5000*5*2.3mm
Power	10W/m	Efficacy	>105lm/W	IP Rating	IP20/IP65/IP67/IP68
LED QTY	400LEDs/m	Beam Angle	180°	Warranty	2 Years
CCT	2700K-6500K	Package Info	L40*W22.5*H25cm(500m/Box)		


## Product : FYX08T320X




## Features :

- 320chips, 100lm/W, dot-free
- Solderless, reel to reel technology
- 180 degree beam angle
- CRI90+, for decorative lighting

### FYX08T320A



### FYX08T320C




## Parameters :

Model NO.	FYX08T320X	SDCM	≤5	Cut Section	50mm
Input Voltage	DC12V/24V	CRI	>90	Dimension	5000*8*2.3mm
Power	8W/m	Efficacy	>100lm/W	IP Rating	IP20/IP65/IP67/IP68
LED QTY	320LEDs/m	Beam Angle	180°	Warranty	2 Years
CCT	2700K-6500K	Package Info	L22*W22*H26cm(500m/Box)		




Product : FYX08T384C



Features :


- 384chips, 90lm/W, dot-free
- 15m long run
- Solderless, reel to reel technology
- 180 degree beam angle
- CRI90+, for decorative lighting



Parameters :



Model NO.	FYX08T384C	SDCM	≤5	Cut Section	31.25mm
Input Voltage	DC24V	CRI	>90	Dimension	5000*8*2.3mm
Power	10W/m	Efficacy	>90lm/W	IP Rating	IP20/IP65/IP67/IP68
LED QTY	384LEDs/m	Beam Angle	180°	Warranty	2 Years
CCT	2700K-6500K	Package Info	L22*W22*H26cm(500m/Box)		

Product : FYX08T480C



Features :

- 480chips, 100lm/W, dot-free
- Solderless, reel to reel technology
- 180 degree beam angle
- CRI90+, for decorative lighting



Parameters :



Model NO.	FYX08T480X	SDCM	≤5	Cut Section	25mm@12V,50mm@24V
Input Voltage	DC12V/24V	CRI	>90	Dimension	5000*8*2.3mm
Power	11W/m	Efficacy	>100lm/W	IP Rating	IP20/IP65/IP67/IP68
LED QTY	480LEDs/m	Beam Angle	180°	Warranty	2 Years
CCT	2700K-6500K	Package Info	L22*W22*H26cm(500m/Box)		

Product : FYX10T528X



Features :

- 528chips, 100lm/W, dot-free
- High power to 14W/m
- 180 degree beam angle
- CRI90+, for decorative lighting



Parameters :



Model NO.	FYX10T528X	SDCM	≤5	Cut Section	45.45mm
Input Voltage	DC12V/24V	CRI	>90	Dimension	5000*10*2.3mm
Power	14W/m	Efficacy	>105lm/W	IP Rating	IP20/IP65/IP67/IP68
LED QTY	528LEDs/m	Beam Angle	180°	Warranty	3 Years
CCT	2700K-6500K	Package Info	L22*W22*H26cm(500m/Box)		

Product : FYT10T608X



Features :


- 608chips, 100lm/W, dot-free
- CCT tunable, 2700K to 6500K
- 180 degree beam angle
- CRI90+, for decorative lighting



Parameters :



Model NO.	FYT10T608X	SDCM	≤5	Cut Section	26.31mm
Input Voltage	DC12V/24V	CRI	>90	Dimension	5000*10*2.3mm
Power	7W/m+7W/m	Efficacy	>100lm/W	IP Rating	IP20/IP65/IP67/IP68
LED QTY	608LEDs/m	Beam Angle	180°	Warranty	3 Years
CCT	CCT,2700K-6500K	Package Info	L22*W22*H26cm(500m/Box)		

Product : FYQ10T576X



Features :


- 576chips, dot-free
- 180 degree beam angle
- Millions of color options by working with controller



Parameters :


Model NO.	FYQ10T576X	SDCM	N/A	Cut Section	31.25mm@12V,62.5mm@24V
Input Voltage	DC12V/24V	CRI	N/A	Dimension	5000*10*2.3mm
Power	14W/m	Efficacy	N/A	IP Rating	IP20/IP65/IP67/IP68
LED QTY	576LEDs/m	Beam Angle	180°	Warranty	3 Years
CCT	RGB	Package Info	L22*W22*H26cm(500m/Box)		

Product : FYQ10T810A



Features :


- 810chips, dot-free
- 180 degree beam angle
- Millions of color options by working with controller



Parameters :



Model NO.	FYQ10T810A	SDCM	N/A	Cut Section	33.33mm
Input Voltage	DC12V	CRI	N/A	Dimension	5000*10*2.5mm
Power	14W/m	Efficacy	N/A	IP Rating	IP20/IP65/IP67/IP68
LED QTY	810LEDs/m	Beam Angle	180°	Warranty	3 Years
CCT	RGB	Package Info	L22*W22*H26cm(500m/Box)		

Product : FYQ10T840C



Features :

- 840 chips, dot-free
- 180 degree beam angle
- Millions of color options by working with controller



Parameters :



Model NO.	FYQ10T840C	SDCM	N/A	Cut Section	50mm
Input Voltage	DC24V	CRI	N/A	Dimension	5000*10*2.5mm
Power	14W/m	Efficacy	N/A	IP Rating	IP20/IP65/IP67/IP68
LED QTY	840LEDs/m	Beam Angle	180°	Warranty	3 Years
CCT	RGB	Package Info	L22*W22*H26cm(500m/Box)		

Product : FYH12T784C



Features :


- 784chips, dot-free
- 180 degree beam angle
- RGB+white
- Millions of color options by working with controller



Parameters :



Model NO.	FYH12T784C	SDCM	N/A	Cut Section	71.42mm
Input Voltage	DC24V	CRI	N/A	Dimension	5000*12*3mm
Power	19W/m	Efficacy	N/A	IP Rating	IP20/IP65/IP67/IP68
LED QTY	784LEDs/m	Beam Angle	180°	Warranty	3 Years
CCT	RGBW	Package Info	L48*W48*H26cm(350m/Box)		

Product : FYH12T840C



Features :


- 840chips, dot-free
- 180 degree beam angle
- Millions of color options by working with controller



Parameters :



Model NO.	FYH12T840C	SDCM	N/A	Cut Section	35.71mm
Input Voltage	DC24V	CRI	N/A	Dimension	5000*12*3mm
Power	21W/m	Efficacy	N/A	IP Rating	IP20/IP65/IP67/IP68
LED QTY	840LEDs/m	Beam Angle	180°	Warranty	3 Years
CCT	RGB CCT	Package Info	L48*W48*H26cm(350m/Box)		

Product : FYA10T576X



Features :

- 576chips, dot-free
- 180 degree beam angle
- WS2811, 8/16 pixels per meter



Parameters :


Model NO.	FYA10T576X	SDCM	N/A	Cut Section	62.5mm
Input Voltage	DC12V/24V	CRI	N/A	Dimension	5000*10*2.3mm
Power	8W/m@12V, 16W/m@24V	Efficacy	N/A	IP Rating	IP20/IP65/IP67/IP68
LED QTY	576LEDs/m	Beam Angle	180°	Warranty	3 Years
CCT	RGBIC	Package Info	L22*W22*H26cm(500m/Box)		

Product : FYX10T360C



Features :

- 360chips, dot-free
- 180 degree beam angle
- For decorative lighting
- IC controlled, WS2811



Parameters :

Model NO.	FYX10T360C	SDCM	≤5	Cut Section	83.33mm
Input Voltage	DC24V	CRI	>90	Dimension	5000*10*2.3mm
Power	12W/m	Efficacy	>100lm/W	IP Rating	IP20/IP65/IP67/IP68
LED QTY	360LEDs/m	Beam Angle	180°	Warranty	3 Years
CCT	2700-6500K, Water Flowing	Package Info	L22*W22*H26cm(500m/Box)		