


# FAA10T060C RGB DMX LED Strip Specifications



- Can be direct to DMX consoles or controllers
- Uses DMX external IC TM512/UCS512
- Strong double sided 3M adhesive tape for easy installation
- RGB 3-in-1 LEDs
- Addressable full color SMD5050 RGB
- Can to be OEM/ODM and customizable
- Reconnectable with ease using solderless LED strip accessories

FAA10T060C



## Parameters:

Model NO.	FAA10T060C (RGB DMX512)	Beam Angle	120°	DMX Chip	TM512/UCS512	Dimension	5000*10*2.5mm
Input Voltage	DC24V	Power	14W/m	Cut Section	100mm	IP Rating	IP20/IP65/IP67/IP68
LED QTY	60LEDs/m	Warranty	3 Years	Color	RGB+IC	Package Info	L46*W25*H26cm(300m/Box)

## Applications:




# FAA10T060C RGBW DMX LED Strip Specifications



- Can be direct to DMX consoles or controllers
- Uses DMX external IC TM512/UCS512
- Strong double sided 3M adhesive tape for easy installation
- RGBW 4-in-1 LEDs, white light optional(2700K-6500K)
- Addressable full color SMD5050 RGB
- Can to be OEM/ODM and customizable
- Reconnectable with ease using solderless LED strip accessories


FAA10T060C



## Parameters:

Model NO.	FAA10T060C (RGB DMX512)	Beam Angle	120°	DMX Chip	TM512/UCS512	Dimension	5000*10*2.5mm
Input Voltage	DC24V	Power	19W/m	Cut Section	100mm	IP Rating	IP20/IP65/IP67/IP68
LED QTY	60LEDs/m	Warranty	3 Years	Color	RGBW+IC(RGB+ White 2700-6500k)	Package Info	L46*W25*H26cm(300m/Box)

## Applications:






# FAA10T084C RGBW DMX LED Strip Specifications



- Can be direct to DMX consoles or controllers
- Uses DMX external IC TM512/UCS512
- Strong double sided 3M adhesive tape for easy installation
- RGBW 4-in-1 LEDs, white light optional(2700K-6500K)
- Addressable full color SMD5050 RGB
- Can to be OEM/ODM and customizable
- Reconnectable with ease using solderless LED strip accessories

FAA10T084C



## Parameters:

Model NO.	FAA10T084C (RGB DMX512)	Beam Angle	120°	DMX Chip	TM512/UCS512	Dimension	5000*10*2.5mm
Input Voltage	DC24V	Power	20W/m	Cut Section	71.24mm	IP Rating	IP20/IP65/IP67/IP68
LED QTY	84LEDs/m	Warranty	3 Years	Color	RGBW+IC(RGB+ White 2700-6500k)	Package Info	L46*W25*H26cm(300m/Box)

## Applications:

