

# **1000W LED GROW LIGHT-FOLDABLE**

Samsung full spectrum white light + 660nm Plant red light + 465nm Blue +730nm IR + 395nm UV

The color of the flowers is better, More fruitful flowers, Higher sugar content, Shorten the flowering period by 3-5 days.



#### **Features:**

- SIGNLITE PRIVATE MOULD
- Color: Samsung full spectrum white light
  +Epistar 660nm Plant red light+460nm blue light
  - +395nm UV+730nm IR mainly for hemp lighting.
- High quality Sosen OR JLC Driver
- Wide input voltage AC100-277V or dimmable
- Best heat sink to get the best heat dissipation
- Easy to install and operate
- Energy saving, Instant start, NO flickering, NO humming, long service life, increase hemp output.
- 3 years warranty





#### **Applications:**


• Mainly used for indoor hemp/Cannabis/Marijuana lightings.




# **Product Specifications:**

Product Name	1000W LED Grow Light		
Model number	SL-G1000V1P06		
Power	1000W		
Input voltage	100-277VAC 50/60Hz		
LED Brand	Samsung		
LED Driver	JLC OR Sosen UL Driver		
Lumen	160,000LM		
Lumen efficiency	>160LM/W		
CRI	>75		
PPF (380-780nm)	2900μmol/S		
EFF	2.9μmol/J		
Color	Samsung Full spectrum +395nm+460nm +660nm +730nm		
Coverage	5*8ft		
Mounting height	≥ 12" (30cm) Above canopy		
Supplementation time	12-18H/day		
Protection level	>0.95		
Lamp size	1085*1790*67mm		
Housing color	Black, with 3M plug		
Material	Aluminum		
IP	IP54 (Indoor using)		
Lifespan	>50,000H		
Working Temperature	-37°C~+55°C		
Operating Humidity	<95%		
Storage Temperature	-40°C~+80°C		
N.W/G.W < main and power supply >	16.3kg/pcs / 18.5kg/pcs		
Package (main and power supply)	Size: 114*13*99cm QTY. 1pcs		

## Dimension(mm)





## **Spectrum**







### **PPFD Distribution:**



















#### Installation


#### ■ Installation Instruction



 Hanging the lamp on the ceiling or other secure places with lifting rope.




 Connecting the wires from driver to the lamp, Note: the connector male plug arrow is aligned with the female plug arrow



A C 100-277V

Connecting the plug to the socket, connect the plug to the power source.

### Package:



Box	QTY.	Size	N.W/CTN	G.W/CTN
box	1PC	114*13*99 CM	16.3 KG	18.5 KG